
# **Product datasheet**

Specifications






## FR.PL.INS1600 4P

03714

! Discontinued on: 20 Jun 2023



#### Main

| Range                                 | Prisma   |  |
|---------------------------------------|--|--|
| Range Of Product                      | Prisma P   |  |
| Product Or Component Type             | Front plate  |  |
| Accessory / Separate Part<br>Category | Installation accessory   |  |
| Range Compatibility                   | Prisma Prisma P cubicle  |  |
| Type Of Front Plate                   | Cut-out  |  |
| Installed Device                      | ComPact: fixed INS630b1600 - control: direct front rotary handle - vertical installation  ComPact: fixed INV630b1600 - control: direct front rotary handle - vertical installation |  |
| Poles Description                     | 1 x 4P: mounting plate support: INS630b1600 vertical installation 1 x 4P: mounting plate support: INV630b1600 vertical installation  |  |
| Operating Position                    | Vertical   |  |

## Complementary

| Enclosure/Cubicle Description      | Cubicle - width 650 mm depth 400 mm  |  |
|------------------------------------|--|--|
| Connection Position                | Front connection   |  |
|                                    | Rear connection  |  |
| Number Of Vertical Modules [50 Mm] | 6  |  |
| Standards                          | IEC 61439-1<br>IEC 61439-2   |  |
|                                    | 120 01 100 2   |  |
| Product Certifications             | ASEFA  |  |
| Material                           | Steel  |  |
| Surface Finish                     | Matt   |  |
|                                    | Smooth   |  |
| Protective Treatment               | Electrophoresis treatment and hot-polymerised polyester epoxy powder   |  |
| Colour                             | White (RAL 9001)   |  |
| Height                             | 300 mm   |  |
| Width                              | 500 mm   |  |
| Net Weight                         | 0.92 kg  |  |
| Quantity Per Set                   | Set of 1   |  |
| Functional Unit                    | 650 mm 400 mm Prisma P cubicle ComPact INS630b1600 fixed direct front rotary handle vertical 4P 1 front connection on adaptor 14 |  |
|                                    | 650 mm 400 mm Prisma P cubicle ComPact INV630b1600 fixed direct front rotary   |  |

handle vertical 4P 1 front connection on adaptor 14

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.



## **Packing Units**

| Unit Type Of Package 1       | PCE      |
|------------------------------|----------|
| Number Of Units In Package 1 | 1        |
| Package 1 Height             | 4.3 cm   |
| Package 1 Width              | 30.5 cm  |
| Package 1 Length             | 50.0 cm  |
| Package 1 Weight             | 930.0 g  |
| Unit Type Of Package 2       | S04      |
| Number Of Units In Package 2 | 16       |
| Package 2 Height             | 30.0 cm  |
| Package 2 Width              | 40.0 cm  |
| Package 2 Length             | 60.0 cm  |
| Package 2 Weight             | 15.2 kg  |
| Unit Type Of Package 3       | P12      |
| Number Of Units In Package 3 | 80       |
| Package 3 Height             | 78.0 cm  |
| Package 3 Width              | 80.0 cm  |
| Package 3 Length             | 120.0 cm |
| Package 3 Weight             | 82.0 kg  |
|                              |          |



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

| <b>Ø</b> | Reach Free Of Svhc         |     |
|----------|----------------------------|-----|
| <b>⊘</b> | Toxic Heavy Metal Free     |     |
| <b>Ø</b> | Mercury Free               |     |
| <b>⊘</b> | Rohs Exemption Information | Yes |

#### **Certifications & Standards**

| Eu Rohs Directive        | Pro-active compliance (Product out of EU RoHS legal scope)                                |
|--------------------------|---|
|                          | EU RoHS Declaration   |
| China Rohs Regulation    | China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | Product Environmental Profile   |
| Circularity Profile      | End of Life Information   |